

Employee Housing Regulations

Article 6.

Subarticle 1. Area Requirements

§ 700. Drainage

The premises shall be free from depressions in which water can stand. Natural sinkholes, pools, swamps or other surface collectors of water within two hundred feet (60.9 meters) of the periphery of the camp shall be either drained or filled to remove the quiescent surface water. Areas such as irrigation drain ditches, etc., containing water not subject to such drainage or filling shall be treated to prevent the breeding of mosquitoes, vermin or vectors as approved by the local health department or other authorized agency.

Note: Authority cited: Sections 17003.5, 17040 and 17050, Health and Safety Code. Reference: Sections 17040 and 17050, Health and Safety Code.

§ 702. Livestock

Domestic animals and poultry shall not be permitted to run at large in any labor camp.

Note: Authority cited: Sections 17003.5, 17040 and 17050, Health and Safety Code. Reference: Sections 17040 and 17050, Health and Safety Code.

§ 704. Structures

(a) General. Structures, mobilehomes, travel trailers, camp cars, coaches, and other housing accommodations shall be maintained so as to provide shelter to the occupants against the elements and to exclude dampness and shall be kept clean and free from vermin, vectors and other matter of an infectious or contagious nature. The entire grounds within the area of a labor camp subject to this subchapter shall be kept clean and free from accumulation of debris, filth, garbage and deleterious matter.

(b) Location. Structures, mobilehomes, travel trailers, camp cars, tents, commercial coaches and other housing accommodations shall be maintained not less than seventy-five feet (22.8 meters) from barns, pens or similar quarters of livestock or poultry, unless more restrictively regulated by local jurisdictions.

Note: Authority cited: Sections 17003.5, 17040 and 17050, Health and Safety Code. Reference: Sections 17036, 17040 and 17050, Health and Safety Code.